

# HERITAGE

Premium Gas Stoves

Vent-Free Cast Iron Stoves



# Heritage Vent-Free Gas Stoves

Vent-free Heritage Stoves come standard with Empire's Contour burner system. The Contour Burner features precision-port technology to produce vibrant flames. Topped off with the hand-painted ceramic fiber log set and glowing embers, the effect is as realistic as a gas-fired stove gets – guaranteed to keep you and your guests mesmerized for hours.

Vent-free technology eliminates the need for venting, which greatly simplifies installation.



## Millivolt or Intermittent Pilot

Heritage Stoves are available in two types of ignition – Millivolt (MV) and Intermittent Pilot (IP). The Millivolt system lights a standing pilot with a pushbutton piezo ignitor. Once the standing pilot is lit, the MV system operates with an on/off switch concealed on the back of the burner or with one of the optional remote control systems listed on the back of this brochure. The standing pilot allows your Heritage stove to provide heat during power outages.

IP systems eliminate the standing pilot for even greater energy savings. Pressing the on/off switch ignites the pilot, which then ignites the main burner. IP systems can also operate with an optional remote control system. Battery backup allows your Heritage stove to provide heat during power outages.

All Heritage Cast Iron Stoves ship assembled in one carton, for easier set-up.

Heritage Cast Iron Stoves are now available in two sizes – small (VFD10 & VFD20) and medium (VFD30).

*TOP: Heritage Compact Vent-Free Stove in Matte Black with optional Side Shelves.*

*BOTTOM LEFT: The hand-painted ceramic fiber log set of the Heritage Medium Direct-Vent Stove. BOTTOM RIGHT: Optional Matching Side Shelf Kits add scale and detail to any Heritage stove. NEXT PAGE TOP: Heritage Medium Vent-Free Stove in Porcelain Mahogany with optional Floor Pad.*



## Medium Size Stoves

Our medium stoves are rated at 25,000 Btu and stand just over three feet tall. The richly detailed casting features fully operable decorative cast iron doors on durable lift-pin hinges that swing open 180 degrees.

Choose from five finishes – porcelain black, porcelain mahogany, porcelain sand, matte black, and matte pewter.

Each of our porcelain stoves starts with a hand-applied pigment and glass mixture that's oven fired to 1,500 degrees Fahrenheit to produce a rich durable finish that both softens and highlights edges. Our porcelain finishes capture and reflect room light for exceptional visual interest. The porcelain mahogany finish features light and dark accents, for added visual interest.



Our matte finishes, in pewter or black, give your stove a more contemporary look that shows off every exquisitely intricate line and edge of the casting, from the geometric crosshatch detail to the raised ribs along the classically curved legs.

The optional side shelf sets, available in every stove color, install in seconds to create an old-world look for your Heritage stove.

Floor pads are available, but not required. You can place your Heritage Stove directly on carpet or tile.

## Compact Size Stoves

Our compact stoves stand two feet tall – ideal for heating smaller spaces. The Contour Burner is rated at 20,000 Btu. A special 10,000-Btu model may be installed in bedrooms, where allowed by code.

The casting features all the rich detail of the medium stove, but has non-operable doors.

Compact Heritage Stoves come in three finishes – porcelain black, porcelain mahogany, and matte black.

Heritage Cast Iron Stove Finish Options							
Stove Size	Control	Btu	Porcelain Black	Porcelain Mahogany	Matte Black	Porcelain Sand	Matte Pewter
Compact	Millivolt	10,000	VFD-10-CC30B	VFD-10-CC30M	VFD-10-CC30F	N/A	N/A
Compact	Intermittent Pilot	10,000	VFD-10-CC70B	VFD-10-CC70M	VFD-10-CC70F	N/A	N/A
Compact	Millivolt	20,000	VFD-20-CC30B	VFD-20-CC30M	VFD-20-CC30F	N/A	N/A
Compact	Intermittent Pilot	20,000	VFD-20-CC70B	VFD-20-CC70M	VFD-20-CC70F	N/A	N/A
Medium	Millivolt	25,000	VFD-30-CC30B	VFD-30-CC30M	VFD-30-CC30F	VFD-30-CC30S	VFD-CC30W
Medium	Intermittent Pilot	25,000	VFD-30-CC70B	VFD-30-CC70M	VFD-30-CC70F	VFD-30-CC70S	VFD-CC70W

Stone Colors for Inlays & Floor Pads					
	Adobe Frost Granite	Patina Mocha Tile	American Beauty Marble	Temple Gray Marble	Venetian Gold Granite
Stone Inlay for Medium Stove <i>(replaces metal grill inlay on Medium Stoves only)</i>	CSI-9A	CSI-10M	CSI0-12A	CSI-11G	CSI-8V
Traditional Floor Pad Stone Inlay Kit (CIFPB-1)	CIFS-9M	CIFS-10A	CIFS-12A	CIFS-11G	CIFS-8V
Corner Floor Pad Stone Inlay Kit (CIFPB-1C)	CIFS-9AC	CIFS-10MC	CIFS-12AC	CIFS-11GC	CIFS-8VC

# Vent-Free Technology

At 99.9-percent efficient, a vent-free system makes the ultimate supplemental heat source for any home. The clean-burning technology employs oxygen depletion sensor technology to continuously monitor your room air and instantly shut off the gas well before the oxygen drops to an unsafe level. For more information – including reports of the safety and efficiency of vent-free technology – please visit [ventfree.org](http://ventfree.org).

## Cast Iron Stove Shelf Kits

(fit compact and medium stoves, includes left and right shelf)


CSK-B	Porcelain Black
CSK-F	Matte Black
CSK-M	Porcelain Mahogany
CSK-S	Porcelain Sand
CSK-W	Matte Pewter

## Accessories

CIB-3	Automatic, Variable Speed Blower for Cast Iron Stove
-------	--

## Control Options

FRBC	Battery Operated Remote Control
FRBTC	Battery Operated Remote Control with Thermostat
FREC	Electric Remote
FWS-1	On/Off Wall Switch
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat - Wireless Remote



Model	A	B	C	D
VFP-20-CC	21 1/2	32 3/4	24 1/8	15 3/8
VFP-30-CC	28 1/16	37	27 3/4	17 1/8

## Clearance to Combustible Materials

Side Wall	6 in.	Adjacent Corner Wall	4 in.
Back Wall	2 in.	Ceiling	36 in.

## Gas Inlet

**Type of Gas (State on Order)** Natural or LP  
**Iron Pipe Size (N.P.T.)** 3/8-inch  
**Ignition System** Millivolt (Standing Pilot/Piezo) or Intermittent Pilot

## Warranty

All vent-free parts carry a 5-year limited labor warranty.  
 Note: Empire Comfort Systems is committed to continuous product improvement; specifications are subject to change without notice. Flame size, shape and color will vary from photos.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932  
 918 Freeburg Ave.  
 Belleville, IL 62220-2623  
 E-mail: [info@empirecomfort.com](mailto:info@empirecomfort.com)  
 ECS-00805 5/4/12

# HERITAGE

P r e m i u m   G a s   S t o v e s

Direct-Vent Cast Iron Stoves



## Heritage Direct-Vent Gas Stoves



Direct-vent Heritage Stoves come standard with Empire's Slope Glaze Burner system with expanded ember bed for extra glow. Ceramic beads within the burner swirl and tumble the gas to create naturally swirling flames that are indistinguishable from a wood fire. Topped off with the hand-painted ceramic fiber log set and glowing embers, the effect is stunningly realistic and guaranteed to keep you and your guests mesmerized for hours.



## Millivolt or Intermittent Pilot

Heritage Stoves are available in two types of ignition – Millivolt (MV) and Intermittent Pilot (IP). The Millivolt system lights a standing pilot with a pushbutton piezo ignitor. Once the standing pilot is lit, the MV system operates with an on/off switch concealed on the back of the burner or with one of the optional remote control systems listed on the back of this brochure. The standing pilot allows your Heritage stove to provide heat during power outages.

IP systems eliminate the standing pilot for even greater energy savings. Pressing the on/off switch ignites the pilot, which then ignites the main burner. IP systems can also operate with an optional remote control system. Battery backup allows your Heritage stove to provide heat during power outages.

## Medium Size Stoves

Our medium stoves are rated at 27,000 Btu and stand just over three feet tall. The richly detailed casting features fully operable decorative cast iron doors on durable lift-pin hinges that swing open 180 degrees.

Choose from five finishes – porcelain black, porcelain mahogany, porcelain sand, matte black, and matte pewter.

Each of our porcelain stoves starts with a hand-applied pigment and glass mixture that's oven fired to 1,500 degrees Fahrenheit to produce a rich durable finish that both softens and highlights edges. Our porcelain finishes capture and reflect room light for exceptional visual interest. The porcelain mahogany finish features light and dark accents, for added visual interest.

Our matte finishes, in pewter or black, give your stove a more contemporary look that shows off every exquisitely intricate line and edge of the casting, from the geometric crosshatch detail to the raised ribs along the classically curved legs.

## Compact Size Stoves

Our compact stoves stand two feet tall and are rated at 20,000 Btu – ideal for heating smaller spaces.

The casting features all the rich detail of the medium stove but has non-operable doors.

Compact Heritage Stoves and available matching shelves come in three finishes – porcelain black, porcelain mahogany, and matte black.

## Accessories

The optional side shelf sets, available in every stove color, install in seconds to create an old-world look for your Heritage stove.

Add a black porcelain liner to any medium or compact stove to create even more “depth” and visual interest.

Floor pads are available but not required. You can place your Heritage Stove directly on carpet or tile.



**TOP LEFT:** *Heritage Medium Direct-Vent Stove in Porcelain Black with optional Side Shelves.*

**TOP RIGHT:** *Heritage Compact Direct-Vent Stove in Porcelain Mahogany.*

**IMMEDIATE RIGHT:** *The hand-painted ceramic fiber log set of the Heritage Medium Direct-Vent Stove.*

**FAR RIGHT:** *Optional Matching Side Shelf Kits add scale and detail to any Heritage stove .*



Heritage Cast Iron Stove Finish Options						
Stove Size	Control	Porcelain Black	Porcelain Mahogany	Matte Black	Porcelain Sand	Matte Pewter
Compact	Millivolt	DVP-20-CC30B	DVP-20-CC30M	DVP-20-CC30F	N/A	N/A
Compact	Intermittent Pilot	DVP-20-CC70B	DVP-20-CA70M	DVP-20-CC70F	N/A	N/A
Medium	Millivolt	DVP-30-CC30B	DVP-30-CC30M	DVP-30-CC30F	DVP-30-CC30S	DVP-CC30W
Medium	Intermittent Pilot	DVP-30-CC70B	DVP-30-CC70M	DVP-30-CC70F	DVP-30-CC70S	DVP-CC70W

Stone Colors for Inlays & Floor Pads					
	Adobe Frost Granite	Patina Mocha Tile	American Beauty Marble	Temple Gray Marble	Venetian Gold Granite
Stone Inlay for Medium Stove <i>(replaces metal grill inlay on Medium Stoves only)</i>	CSI-9A	CSI-10M	CSI0-12A	CSI-11G	CSI-8V
Traditional Floor Pad Stone Inlay Kit <i>(CIFPB-1)</i>	CIFS-10M	CIFS-10A	CIFS-12A	CIFS-11G	CIFS-8V
Corner Floor Pad Stone Inlay Kit <i>(CIFPB-1C)</i>	CIFS-9AC	CIFS-10MC	CIFS-12AC	CIFS-11GC	CIFS-8VC

# Direct-Vent Technology

Heritage direct-vent models use standard 4 x 6 5/8 vent pipe and generate sufficient heat to warm any room in your home or provide total heat for a small cabin. Your dealer can help you determine your heating requirements. A direct-vent system draws in outdoor air to support combustion and sends its exhaust directly outdoors. The versatile direct-vent technology allows your dealer to install your stove with vertical or horizontal venting.

All Heritage Cast Iron Stove ships assembled in one carton, for easier set-up.

Heritage Cast Iron Stoves are now available in two sizes – compact (DVP20) and medium (DVP30).

## Cast Iron Stove Shelf Kits

(fit compact and medium stoves, includes left and right shelf)


CSK-B	Porcelain Black
CSK-F	Matte Black
CSK-M	Porcelain Mahogany
CSK-S	Porcelain Sand
CSK-W	Matte Pewter

## Accessories

CIB-3	Automatic Variable Speed Blower for Cast Iron Stove
DVP-20-CCKR	Liner, Porcelain Black, fits DVP-20-CC Stoves
DVP-30-CCKR	Liner, Porcelain Black, fits DVP-30-CC Stoves
DVKHP-1	Direct-Vent Kit for Horizontal Run (See Price List for Vent Kit Details)
DVKVP-1	Direct-Vent Kit for Vertical Run (See Price List for Vent Kit Details)

## Control Options

FRBC	Battery Operated Remote Control
FRBTC	Battery Operated Remote Control with Thermostat
FREC	Electric Remote
FWS-1	On/Off Wall Switch
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat - Wireless Remote



Model	A	B	C	D
DVP-20-CC	21 1/2	32 3/4	24 1/8	15 3/8
DVP-30-CC	28 1/16	37	27 3/4	17 1/8

## Clearance to Combustible Materials

Side Wall	6 in.	Adjacent Corner Wall	4 in.
Back Wall	2 in.	Ceiling	36 in.

## Gas Inlet

Type of Gas (State on Order)	Natural or LP
Iron Pipe Size (N.P.T.)	1/2-inch DVP and 3/8-inch VFP
Ignition System	Standing Pilot/Piezo or Intermittent Pilot

## Warranty

All vented parts carry a 3-year limited warranty.

Note: Empire Comfort Systems is committed to continuous product improvement; specifications are subject to change without notice. Flame size, shape and color will vary from photos.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

918 Freeburg Ave.

Belleville, IL 62220-2623

E-mail: info@empirecomfort.com

ECS-00915 5/4/12